ı	į	1	
ľ	Ė	-	
	Ų	ŀ	
	ľ		
	I	ī	

		LIFE SCIEN	CES	
Nar	me & Signature of the Invigilator		OMR Answer Shee	t No.:
••••	***************************************	DEC-1004	Roll No.:	
*****			(in figures as in Hall	Ticket)
	•		Roll Number in word	ls :
Tin	ne : 2 Hours]	No. of Printed Page		Maximum Marks : 200
	ructions for the Candidates	Tioron Timeed Luge	3.20	[Waximum Wat KS . 200
1. 2. 3.	(ii) Tally the number of pages and numbooklets due to pages/questions mi	D) multiple choice type of que the question booklet will be given as below: tooklet, tear off the paper sea cept an open booklet. The booklet is the booklet of questions in the book issing or duplicate or not in some the invigilator within	ven to you. In the first 5 al on the edge of this co klet with the information serial order or any other	compulsory. minutes, you are requested to open over page. Do not accept a booklet in printed on the cover page. Faulty discrepancy should be got replaced at Afterwards, neither the Question
	(iii) After this verification is over, the T Sheet Number should be entered or	l'est Booklet Number should h	e entered on the OMR	Answer Sheet and the OMR Answer
4.	Each item has four alternative responses meresponse against each item.	narked (A), (B), (C) and (D).	You have to darken the or	val as indicated below on the correct
5 .	Example: A C D when Your responses to the items are to be indi	e (B) is the correct response.	haet under Paner . II onl	y If you muck your recovers at any
6.	place other than in the oval in the OMR Read instructions given inside carefully.	Answer Sheet, it will not be	evaluated.	y. If you mark your response at any
7. 8.	Rough Work is to be done in the end of If you write your Name, Roll Number, Ph	this booklet.	on any part of the OMB	Amouse Chart assess for the server
	allotted for the relevant entries, which ma as change of response by scratching or us	ly disclose your identity, or us	se abusive language or ei	mploy any other unfair means, such
9.	You have to return the original OMR Ansit with you outside the Examination Hall. Answer Sheet on conclusion of examinat Use only Blue/Black Ball point pen.	wer Sheet to the invigilator at You are however, allowed to	the end of the examinati	ion compulsorily and must not carry
11. 12.	Use of any calculator or any electronic de There shall be no negative marking.	evices or log table etc., are p	rohibited.	
13.	In case of any discrepancy in the English સાર્ચીઓ માટે સુચનાઓ :	and Gujarati versions of ques	tions, English version w	ill be taken as final.
1.	આ પાનાની ટોચ પર દર્શાવેલી જગ્યામાં તમારો ર			•
2. 3.	આ પ્રશ્નપત્રમાં બહુવૈકલ્પિક ઉત્તરો ધરાવતા સો (પરીક્ષાની શરૂઆતમાં આપને પ્રશ્નપુસ્તિકા આપવા કરવું :	ામાં આવશે. પ્રથમ પાંચ (પ) મિનિટ દ	રમ્યાન તમારે પ્રશ્નપુસ્તિકા ખો	
	(i) પ્રશ્નપુસ્તિકાનો વપરાશ કરવા માટે આ કવર સ્વીકારશો નહીં.	-		
4.	(ii) કવર પૃષ્ઠ પેર છપાયેલ નિર્દેશાનુસાર પ્રશ્ન્ય હોય, બે વાર છપાયા હોય, અનુક્રમમાં અથવ પ્રશ્નપુસ્તિકા મળી હોય તો નિરીક્ષક પાસેથી આવશે. પછીથી, પ્રશ્નપુસ્તિકા બદલવામાં (iii) આ ચકાસણી સમાપ્ત થાય પછી, પ્રશ્નપુસ્તિ પ્રત્યેક પ્રશ્ન માટે ચાર જવાબ વિકલ્પ (A), (B), (પેનથી ભરીને સંપૂર્ણ કાળું કરવાનું રહેશે.	ા અન્ય કોઈ ફરક હોય અર્થાત કોઈપ તુરંત જ બીજી સારી પ્રશ્નપુસ્તિકા મેલ આવશે નહીં કે કોઈ વધારાનો સમય તકાનો નંબર OMR જવાબ પત્રક પ	જ્ઞ સંજોગોમાં ખામીયુક્ત પ્રશ્નેષ્ બવી લેવી. આ માટે ઉમેદવારને ાગાળો આપવામાં આવશે નહી ૨ લખવો અને OMR જવાબ	પુસ્તિકા સ્વીકાર શો નહીં. અને જો ખામીયુક્ત ૧ પાંચ (પ) મિનિટનો સમયગાળો આપવામાં I. પત્રકનો નંબર પ્રશ્નપસ્તિકા પર લખવો.
	ઉદાહરજ્ઞ: 🛕 🛑 🔘 🛈 કે જય	i (B) સાચો જવાબ છે		•
5. 6.	આ પ્રશ્નપુસ્તિકાના પ્રશ્નો ના જવાબ અલગથી અં પત્રકમાં આપેલ ઓવલ (oval) સિવાય અન્ય સ્થા અંદર આપેલ સૂચનાઓ ધ્યાનપૂર્વક વાંચો.	ાપવામાં આવેલ OMR જવાબ પત્રક	ત્માં પેપ૨—II લખેલ વિભાગમ નું મૂલ્યાંકન કરવામાં આવશે	ાં જ અંક્તિ કરવા. જો આપ OMR જવાબ નહીં
7.	કાર્ચું કામ (Rough Work) પ્રશ્નેપુસ્તિકાના અન્તિ			
8.	જો આપ OMR જવાબ પત્રક નિયત જગ્યા સિવા ઓળખ થઈ શકે, અંક્તિ કરશો અથવા અબદ્ર ભાષ નાખવો કે સફેદ શાહીનો ઉપયોગ કરી બદલશો ત	યાનો પ્રયોગ કરો. અથવા અન્ય કોઈ	અનુચિત સાધનોનો ઉપયોગ ક	. અથવા એવું કોઈ ચિક્રકે જેનાથી તમારી કરો, જેમ કે અંક્તિ કરી દીધેલ જવાબ ભૂંસી
9.	પરીક્ષા સમય પૂરો થઈ ગયા બાદ ઓરીજીનલ ON જવું નહીં, પરીક્ષા પૂર્ણ થયા બાદ ઇમેદવા ર ઓરી	MR જવાબ પત્રક જે તે નિરીક્ષકને ફઃ	રજિયાત સોંપી દેવું અને કોઈ પ	પજ્ઞ સંજોગોમાં તે પરીક્ષાખંડની બહાર લઈ iોતાની સાથે લઈ જઈ શકે છે.
10. 11.	માત્ર કાળી/ભૂરી બોલ પોઈન્ટ પેન વાપ૨વી. કેલ્કયુલેટ૨, લોગ ટેબલ અને અન્ય ઈલેકટ્રોનિક યંત્ર	ત્રોનો ઉપયોગ કરવાની મનાઈ છે.		•
12. 13.	ખોટા જવાબ માટે નકા રાત્મક ગુજાં કન પ્રથા નથી. પ્રશ્નપુસ્તિકાના કોઈ પ્રશ્નમાં અનુવાદ અંગે કોઈ િ		ર્ઝન યોગ્ય ગજાશે.	
	, *	•		the second secon

11. 12. 13.

LIFE SCIENCES

PAPER-II

Note: This paper contains One Hundred (100) multiple-choice, matching questions, each question carrying TWO (2) marks. Attempt All the questions.

1.	Whi		l hav	ve higher activity in most cancer
	(A)	DNA Polymerase-I	(B)	Telomerase
•	(C)	RNA Polymerase	(D)	Reverse transcriptase
2.	Whi	ich one of the following is not co	onside	ered as primary pollutant?
	(A)	Photochemical smog	(B)	Smoke
٠.	(C)	CO_2	(D)	pm 2.5
3.	Ear	liest immunoglobulin to be syntl	nesize	ed by a foetus is:
	(A)	IgA	(B)	IgG
	(C)	IgE	(D)	IgM
4.	Mos	et of antidiuretic hormone (ADH)	in p	lasma is circulated as:
	(A)	free form		
	(B)	bound to plasma albumin		
	(C)	bound to neurophepsin 1		•
	(D)	bound to neurophesin		
5.	Ure	a cycle in vertebrates occurs in	•	
	(A)	Liver	(B)	Spleen
	(C)	Intestine	(D)	Kidney
				•

6.	Which cellular organelle is most active in apoptosis?		
	(A) Mitochondria	(B) Golgi body	
	(C) Nucleus	(D) Ribosome	
7.	Measured diversity of a 1 m	× 1 m area can be referred as:	
	(A) β-diversity	(B) α-diversity	
	(C) γ-diversity	(D) Ω-diversity	
8.	Energy to drive hydrological	cycle is coming from :	
•	(A) Tidal energy	(B) Solar energy	
	(C) Wind energy	(D) Cloud energy	
9.	Best practice for biodiversity	conservation would be:	
	(A) protecting keystone speci	es	
	(B) protecting dominant spec	ies	
	(C) increasing species richner	ss	
	(D) protecting the habitat		
10.	Protein separation in isoelectr	ic focusing is based on :	
	(A) density gradient	(B) molecular weight gradient	
	(C) pH gradient	(D) size gradient	
11.	Bcl-2 a human proto-oncogene	is located on chromosome number:	
	(A) 18	(B) 10	
	(C) 12	(D) 21	
	•		

12.	Kinases and phosphatases can	make	a protein active or inactive
	through:		
	(A) phosphorylation only		
	(B) dephosphorylation only		
	(C) phosphorylation and carboxylat	tion	
	(D) phosphorylation and dephospho	rylat	ion
13.	Raising atmospheric CO_2 levels cactivity of:	ompa	aratively favours photosynthetic
	(A) C ₃ plants only	(B)	Both C ₃ and C ₄ plants
	(C) C ₄ plants only	(D)	CAM plants only
14.	Under unfavourable conditions plan	ts inc	crease the production of:
	(A) Auxin	(B)	Auxin and Abscsic Acid
	(C) Abscisic acid and Ethylene	(D)	Ethylene and Gibberelin
15 .	Which one of the following sets of or	ganis	sms are capable of synthesizing all
•	the amino acids for protein synthes	is?	
	(A) Plants and mammals	(B)	Plants and bacteria
	(C) Mammals and bacteria	(D)	Plants and humans
16.	In a polypeptide chain, which one of	the fo	llowing amino acids has the ability
	to form another covalent bond?		
	(A) Valine	(B)	Alanine
٠	(C) Leucine	(D)	Cysteine
	the state of the s		

17. Side chains of most of the amino acids present in a native protein are: (A) Polar and charged (B) Non-polar (C) Polar and positively charged (D) Polar and uncharged 18. For the development of different tissues in plant, programmed cell death is essential for: (A) collenchyma (B) xylem (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins Life SciII 6									
 (B) Non-polar (C) Polar and positively charged (D) Polar and uncharged 18. For the development of different tissues in plant, programmed cell death is essential for: (A) collenchyma (B) xylem (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 	-	17.	Side	chains of most	of the amino a	cids present	in a native p	protein are	:
 (C) Polar and positively charged (D) Polar and uncharged 18. For the development of different tissues in plant, programmed cell death is essential for: (A) collenchyma (B) xylem (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 			(A)	Polar and char	ged		·	,	
 (D) Polar and uncharged 18. For the development of different tissues in plant, programmed cell death is essential for: (A) collenchyma (B) xylem (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 			(B)	Non-polar					
18. For the development of different tissues in plant, programmed cell death is essential for: (A) collenchyma (B) xylem (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins			(C)	Polar and posi	tively charged				
essential for: (A) collenchyma (B) xylem (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins			(D)	Polar and uncl	harged		•		
 (C) ground tissue (D) epidermis 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins]				t of different tiss	ues in plant	, programmed	cell death	is
 19. Major distinction in the growth and development of plants and animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 			(A)	collenchyma		(B) xylem			
animals is: (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins			(C)	ground tissue		(D) epider	mis		
 (A) Animals follow fixed pattern and plants follow modular pattern (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 	1	19.	Maj	or distinction	in the growth	n and deve	elopment of	plants an	d
 (B) Animals follow modular pattern and plants follow fixed pattern (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 			anin	nals is:			•		
 (C) Plants follow fixed pattern and animals follow infinite pattern (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 		ı	(A)	Animals follow	fixed pattern ar	nd plants fol	llow modular	pattern	
 (D) Animals follow inconsistent pattern and plants follow fixed pattern 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 		·	(B)	Animals follow	modular pattern	and plants	s follow fixed	pattern	
 20. Acetyl CoA can be produced by the breakdown of: (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 		, ((C)	Plants follow fi	xed pattern and	animals fol	low infinite p	attern .	
 (A) Carbohydrates, DNA and Fatty acids (B) Carbohydrates, Amino acids and RNA (C) Carbohydrates, Amino acids and Fatty acids (D) Amino acids, nitrogen bases and proteins 		. ((D)	Animals follow	inconsistent pat	tern and pla	ants follow fix	ed pattern	
(B) Carbohydrates, Amino acids and RNA(C) Carbohydrates, Amino acids and Fatty acids(D) Amino acids, nitrogen bases and proteins	2	20.	Acet	yl CoA can be]	produced by the	breakdown	of:		
(C) Carbohydrates, Amino acids and Fatty acids(D) Amino acids, nitrogen bases and proteins		. ((A)	Carbohydrates,	DNA and Fatty	acids			
(D) Amino acids, nitrogen bases and proteins		. ((B)	Carbohydrates,	Amino acids an	d RNA	•	• •	
· · · · · · · · · · · · · · · · · · ·		((C)	Carbohydrates,	Amino acids an	d Fatty acid	ls		
Life SciII 6		((D)	Amino acids, n	itrogen bases an	d proteins			
	I	Life Sc	iII		6				
			•	·	,		•	·	
							,	·	

0.4		
21.	Expression of characters under polygenic control are:	
	(A) Height and skin colour of humans	
	(B) Flower colour and height of pea plant	
	(C) Height of humans and flower colour of snapdragon	
	(D) Flower colour pea plant and skin colour of humans	
22.	Food web complexity shows maximum deviation between:	
	(A) Desert ecosystem and tropical moist forest ecosystem	
	(B) Desert ecosystem and grassland ecosystem	
	(C) Grassland ecosystem and tropical deciduous forest ecosyste	em
	(D) Grassland ecosystem and alpine ecosystem	
23.	Which one of the following combinations of nutrients follow sedimen	tary pattern
,	of biogeochemical cycling?	
	(A) Carbon and Sulphur	
	(B) Sulphur and Phosphorus	
	(C) Phosphorus and Nitrogen	
	(D) Nitrogen and Carbon	
24 .	Functioning of phytochrome is regulated by:	•
	(A) Red light only	
	(B) Blue light only	
	(C) Both red light and blue light	
•	(D) Both red and far-red light	
Life	SciII	[P.T.O.]
		•

25.	The most appropriate reason for a environment is:	species becoming as invasive in a new
٠	(A) Species natality rate is high	
	(B) Species mortality rate is minimum.	mum
	(C) Local species have stable nata	ılity
	(D) There is no governing mechanis	sm regulating the invasive species in the
26.	Gibberelic acid comes from the pat	hway of:
	(A) Flavonoid biosynthesis	(B) Carbohydrate biosynthesis
	(C) Terpenoid biosynthesis	(D) Phenolics biosynthesis
27.		naller in size, while species 'B' produces method followed by species 'A' and 'B' is
	(A) r - and k -selection	(B) k - and r -selection
	(C) r- and s-selection	(D) j - and k -selection
28.	Which one of the following stat experimental data of Mendel's work	istical methods is ideal to validate
	(A) t-test	(B) ANOVA
	(C) Chi-square test	(D) Bootstrap analysis
	generated data are the same. Distri	ree measures of central tendency of a bution pattern shown by the said data
29.	would be:	(D) Deisser
29.	would be: (A) Normal	(B) Poisson
29.		(D) Skewed
	(A) Normal	

30.	Whi	ch of the following plant ti	ssues	show emb	olism whe	n drought
	sets	in:	·			
	(A)	parenchyma	(B)	xylem		
	(C)	phloem	(D)	stone cells		
31.	One	of these is said to be having	maxin	num contribi	ition toward	is the loss
	of b	iodiversity over terrestrial ecos	ystem	:		
	(A)	Excessive usage of fertilizers				
	(B)	Raising atmospheric CO ₂ leve	əl			
	(C)	Climate change				
:	(D)	Habitat fragmentation	ř			
32.	Ubic	quitin is necessary for the degr	radatio	on of:		
	(A)	Carbohydrate	(B)	Protein		
	(C)	Nucleic acid	(D)	Lipid		
33.	One	to one relationship developed	betwee	en dosage of	pesticide ar	nd number
•	of ir	nsects survived is :		•		
	(A)	Positive regression				
•	·(B)	Negative regression				
	(C)	Positive curvilinear regression	1			
	(D)	Depend on the type of insects	s studi	ed	***	
Life S	SciII	9		. •		[P.T.O.]

- 34. Which culture technique is used for the development of haploid plants?
 - (A) Anther

(B) Organ

(C) Somatic cells

(D) Embryo

35. Xenobiotics are:

- (A) any chemical that contains carbon
- (B) products used for the biological control of pests
- (C) special soil amendment used in organic farming
- (D) synthetic organic compounds not found in nature
- 36. FISH analysis is useful for determining the:
 - (A) chromosomal location of a gene
 - (B) order of DNA fragments in a YAC
 - (C) pattern of expression of a cloned gene
 - (D) map order of closely linked genes
- 37. "Gap junctions" are:
 - (A) two juxtaposed living cells with the extracellular space filled with a thin film of matrix.
 - (B) formed by specific hemi-channels in each cell membrane of juxtaposed cells through which selected molecules get exchanged between cells.
 - (C) primarily for exchange of solvents to maintain cellular osmotic pressure.
 - (D) primarily for exchange of extracellular proteins to maintain cellular osmotic pressure.

38.	Prot	tein targeting to one of the following organelles is because	of TICs	and
	TOO	Cs associated with the organelle membranes:		
	(A)	Mitochondria (B) Chloroplast		•. •
	(C)	Nucleus (D) ER		
39.	Indi	viduals of a cohort population study belong to:		
÷	(A)	same year of birth		
	(B)	different years of birth		
	(C)	different age groups	•	•
•	(D)	different generations		
40.	Whi	ich one of the following sets of transport requires energy	?	
•	(A)	Active transport, Endocytosis and Excocytosis.		
	(B)	Active transport, Osmosis and Diffusion.		
	(C)	Osmosis, Diffusion and Endocytosis.	• .	
	(D)	Exocyosis, Diffusion and Carrier mediated transport.		
41.	Whi	ch one of the following pairs of molecules execute their function	ons by bir	nding
	with	n cytoplasmic receptors ?	•	
	(A)	Noradrenalin and Estrogen.		
	(B)	Growth hormone and Progesterone.		
	(C)	Estrogen and Progesterone.		· · · · · · · · · · · · · · · · · · ·
	(D)	GABA and Growth hormone.	•	
Life S	SciII	$oldsymbol{n}$	[P.	T.O.]

42.	Which one of the following is a tumor suppressor gene?
	(A) p ⁵³ (B) ALK
	(C) AKT-2 (D) RAS
43 .	The chloride shift in animal cells involves:
	(A) K ⁺ accompanying each bicarbonate that leaves the erythrocyte.
	(B) carbonic acid leaving the erythrocyte.
	(C) bicarbonate leaving the erythrocyte in exchange for chloride.
	(D) proton leaving the erythrocyte for each carbon dioxide that enters.
44.	Duchenne Muscular Dystrophy disease is an:
	(A) X-linked recessive (B) X-linked dominant
	(C) an autosomal dominant (D) an autosomal recessive
4 5.	Alcohol intake increases frequency of urine because :
	(A) more liquid enters the body.
	(B) density of alcohol is lesser than water.
	(C) it reduces the retention time of the bladder.
	(D) it inhibits release of antidiuretic hormone.
46.	Histamine is known to be released from:
	(A) kidney and mast-cells.
^ .	(B) mast- and hepatic-cells.
-	(C) mast-cells and neurons.
	(D) neurons and hepatic-cells.
Life	SciII

4 7.	. Energy movement in an Ecological Energy Flow Model is:		
	(A) Input energy equals output en	nergy	
	(B) Input energy is always greate	r than output energy	
	(C) Output energy is always high	er	
. *	(D) There is no exchange of energ		
4 8.	The most classical symptom in ata	xia is:	
	(A) vision deficiency in one eye.	(B) failure of muscular coordination.	
***	(C) inability to name objects.	D difficulty in waking from asleep.	
4 9.	High dose of atropine may cause:		
	(A) increased heart rate		
	(B) pupillary constriction		
	(C) decreased heart rate		
	(D) gastrointestinal smooth muscle	e cramps	
5 0.	The molecule that has the highest	rate of diffusion across a phospholipid	
	bilayer is:		
	(A) ATP	(B) O ₂	
	(C) Lysine	(D) K ⁺	
51.	In which of the following types er	nzyme activity decrases with increased	
	substrate concentration:		
	(A) Non-competitive	(B) Competitive	
	(C) Uncompetitive	(D) Irreversible	
Life	SciII	B [P.T.O.]	

<i>J</i> <u> </u>	MIGI	atomin is symmesized by :			
	(A) ·	Coenocytes	(B)	Melanocytes	
	(C)	Pinealocytes	(D)	Oligodendrocytes	
53.	Neu	irons are formed from pred	cursor cells	in proneural region	due to :
	(A)	relatively low level of no	tch activity		
	(B)	relatively high level of n	otch activit	y	
	(C)	inactivation/knock-out of	notch mole	cule	
	(D)	over-activation/knock-in o	f delta mol	ecule	
54.	Whi	ich one of the following se	ts is an od	d combination ?	
٠	(A)	nucleus and plasma mem	nbrane	: :	
	(B)	desmosomes, plasmodesm	ata and tig	ht junctions	
	(C)	tight junctions and gap j	unctions		
	(D)	gap junctions and plasmo	odesmata		
5.	Nora	adrenergic and dopaminerg	gic neurons	must express:	
	(A)	Tyrosine hydroxylase			
÷	(B)	Acetylcholinesterase			
•	(C)	Histidine decarboxylase			
	(D)	Cholineacetyl transferase			

Life Sci.-II

56.	In a cell, the primary reason for transmembrane potential is:
	(A) cells are nucleated
	(B) differential distribution of ions across the membrane
-	(C) cells respire and produce carbon dioxide
•	(D) metabolism causes changes in pH
57 .	In osmosis:
	(A) solvent moves from hypotonic to hypertonic solution
*	(B) solvent moves from hypertonic to hypotonic solution
	(C) solute moves from hypotonic to hypertonic solution
	(D) solute moves across their charge gradient
58.	Fireflies flash light as a signal:
	(A) for mating
	(B) of danger
	(C) displaying path in the dark to be followed by young
	(D) expressing availability of food in the dark.
59.	Which one of the following falls under "Postmating isolating
	Mechanisms"?
	(A) Ecological isolation (B) Behavioural isolation
	(C) Gametic incompatibility (D) Mechanical incompatibility
Life	SciII 15 [P.T.O.]

• .

- 60. Which one of the following statements is incorrect?
 - (A) Adaptive immune response is produced by interactions among white blood cells.
 - (B) Adaptive immune response is compromised by interactions among white blood cells.
 - (C) Both B- and T-cells arise from dividing stem cells in the bone marrow.
 - (D) Both B- and T-cells are types of lymphocytes.
- 61. A lysosomal enzyme is:
 - (A) Lactate dehydrogenase
- (B) Epimerase

(C) Ligase

- (D) Cathepsin
- 62. Which one of the following is made of monolayer membrane?
 - (A) Nucleus
 - (B) Mitochondria
 - (C) Lysosome
 - (D) Neurotransmitter containing vesicles
- 63. What would you expect when a solution containing particles of similar density but varying sizes is centrifuged?
 - (A) the force experienced by the particles depends only on the relative distance at which the particles are present from the centre
 - (B) heavier particles will move more rapidly away from the centre than the lighter ones
 - (C) lighter particles will move more rapidly away from the centre than the heavier ones
 - (D) all particles will experience the same amount of force

64.	Which of the following set is correct in terms of concentration of urine?
	(A) Kangaroo rat > Camel > Elephant
	(B) Elephant > Kangaroo rat > Camel
	(C) Camel > Elephant > Kangaroo rat
	(D) Kangaroo rat > Elephant > Camel
65.	A cell (AQ) has been mutated not to express aquaporin (AQm). Both the cell
	types were then placed in water for about 30 min. Which of the following
	statements would be most appropriate?
	(A) Only AQm would burst
	(B) Both AQ and AQm would burst
	(C) Neither AQ nor AQm would burst
	(D) Only AQ would burst
66.	To achieve higher resolution in microscopy, the refractive index of the immersion oil used should be:
	(A) Less than air (B) Less than glass
	(C) Same as glass (D) Same as air
67.	"Dominance hierarchy" in male bighorn sheep is signaled by:
•	(A) body size
·	(B) horns
	(B) horns (C) length of mane
Life S	(C) length of mane
Life ((C) length of mane(D) power of kicking during bull-fight

38.	Evolutionary theory suggests that principles of life are applicable to:									
	(A)	Extant organisms	(B)	Extinct organisms						
	(C)	Protists	(D)	All organisms						
39 .	Gen	e expression of a flower colour in th	ne F1	generation of snapdragon is referred						
	as:									
-	(A)	Dominant								
	(B)	Recessive								
	(C)	Neither dominant nor recessive	е							
	(D)	Co-repressive								
70.	Whe	en a phage transduces a specific g	gene a	adjacent to a prophage, the method						
	of g	ene transfer is:								
	(A)	Generalized transduction	(B)	Restricted transduction						
	(C)	Conjugation	(D)	Sex duction						
71.	Two	bacterial species are considered	l sim	ilar provided they exhibit :						
	(A)	65-70% DNA-DNA reassociation	n.							
	(B)	97% rRNA sequence homology	• .							
	(C)	70% and above DNA-DNA reasso	ciatio	n, delta-Tm<5°C and 97% and above						
		rRNA gene sequence homology	7.							
	(D)	phenotypic and chemotypic cha	racte	ristics.						

18

Life Sci.-II

	72 .	Fixation of CO ₂ by Calvin's cycle uses:
		(A) 9 molecules of ATP and 6 molecules of NADPH.
		(B) 6 molecules of ATP and 9 molecules of NADPH.
	•	(C) 9 molecules of NADPH only.
		(D) 6 molecules of ATP only.
	7 3.	A marker for the inner mitochondrial membrane is:
		(A) Succinate dehydrogenase.
		(B) ATP Synthase.
		(C) Citrate Synthase.
		(D) Alpha-ketoglutarate dehydrogenase.
•	74.	Which one of the following sets of amino acids have more propensity to attach
	72.	with glycophorin to form complex oligosaccharides?
		(A) Tyr, Thr (B) Ser, Asp
		(C) Lys, Arg (D) Tyr, Lys
	7 5.	Which one of the following sets does not have a single facultative anaerobe/
		aerobe ?
		(A) Clostridium, Enterococcus, Bacteroides
		(B) Enterococcus, Clostridium, Methanobacterium
		(C) Bacteroides, Clostridium, Methanobacterium
	٠	(D) Methanobacterium, Enterococcus, Clostridium
	Life	SciII 19 [P.T.O.]

76.	In angiosperms lateral roots develops from:								
	(A)	Endodermis	(B)	Pericycle					
	(C)	Cortex	(D)	Interfascicular cambium					
77.	Whi	ich statement about the functi	on of t	he casparian strip is correct?					
	(A)	Prevents excess transpiration	from	leaves					
	(B)	Regulates ion movements int	to the i	root vascular cylinder					
	(C)	Prevents horizontal water me	ovemen	t from vascular cylinder to cortex					
	(D)	It is a pathway for nutrient	transfe	er from xylem to phloem					
7 8.	In p	photosynthesis, the function of	water	is to:					
	A	Supply electrons in the light	depen	dent reactions					
	(B)	Provide O ₂ for the light dep	endent	reactions					
	(C)	Transport H ⁺ ions in the lig	ht depe	endent reactions					
	(D)	Absorb light energy							
79.	Sha	nnon-Wiener index is used for	the es	timation of:					
	(A)	Amount of energy transfer fr	om one	e trophic level to another					
	(B)	Total biomass of an ecosystem	or any	of its components at a given time					
	(C)	Species diversity in an ecolog	gical co	mmunity					
	(D)	Rate of generation of biomas	s in an	ecosystem					
80.	Wha	at cause a growing green plan	t to be	nd towards the light?					
	(A)	chloroplasts moves towards li	ght						
	(B)	shoot apex grows towards he	at						
.*	(C)	Auxin accumulates on the sh	aded s	ide, which cause cell elongation					
	(D)	The cells grow faster on the	lighted	side					

				٠.							
	81.	Mat	ch th	e foll	owing	and	select	the co	rrect option	of the co	des given
		belo	w :								ı
		(i)	Resp	ine				(a)	Rauwolfia se	rpentina	
		(ii)	Rubb	er			_	(b)	Crotalaria ju	ıncea	,
		(iii)	Bast	fibres	3			(c)	Syzygium ar	omaticum	
		(iv)	Clove	e				(d)	Hevea brasili	iensis	· .
•		Cod	le :								
		· · · · · ·	(i)	(ii)	(iii)	(iv)					
		(A)	(d)	(a)	(b)	(c)				•	•
,		(B)	(c)	(d)	(a)	(b)					
		(C)	(b)	(c)	(d)	(a)					
		(D)	(a)	(d)	. (b)	(c)					
	82.	Epic	lermal	l seed	fibres	are	obtaine	ed from	:		
		(A)	Coco	s nuci	ifera			(B)	Gossypium s	pecies	÷ .
		(C)	Cann	abis	sativa	• "		(D)	Linum usita	tissimum	:
	83.	Saff	ron is	obtai	ned fr	om :	-	•			
		(A)	Sepa	ls of	Rhodo	dendr	on sp				
		(B)		ls of '			_				
		(C)				a of (Crocus	sativus		•	
	* * * * * * * * * * * * * * * * * * *	(D)			_		ıllichia	·			
	Life	Sci -II			,- 			21			IP.T.O.

84.		ne sieve elements involved in long distance transport of sussess:	crose
	(A)		
•	(B)) ER, P-proteins and plastids	
	(C)) Plastids, microtubules and dictyosomes	
	(D)) Mitochondria, plastids and ER	
85.	Whi	hich one of the following is involved in the lipid biosynthesis?	
	(A)) Lysosomes (B) Peroxisomes	
	(C)) Cytosol (D) Smooth endoplasmic reticul	lum
86.		hich one of the following statements about Juvenile play behavio	our is
•	(A)	increases strength and coordination.	-
	(B)	increases experience and skill.	
	(C)	decreases learning and skills.	
	(D)	is usually seen most intense early in life when brain develops.	
87.	Gro	oup living behavior increases :	
	(A)	difficulty of finding mates.	
	(B)	risk of being spotted by predators.	
	(C)	possibility of division of labour.	
	(D)	hunting efficiency.	
Life S	SciII	22	

					•
				•	
				-	
88.	The	nucleosome contains:			
	(A)	proteins and ribonucle	ic acids	,	
	(B)	DNA and non-histone	proteins		
	(C)	DNA coiled around the	e core of histones		
	(D)	Ribosomal RNA and r	ibosomal proteins		
89.	WU	SCHEL expression is as	ssociated with:		
	(A)	Tracheary elements			
	(B)	Shoot apical meristem	·		
•	(C)	Sieve elements			
	(D)	Root apical meristem	1	•	
90.	Wha	at is the expected melti		f the following I	PCR primer ?
			CAGGTATTCGCG		
					•
•	(A)	52°C	(B) 56°	°C	
	(C)	60°C	(D) 65°	°C	
91.	Whi	ich one of the following	is a feature of n	nismatch DNA re	epair ?
	(A)	Modified nucleotides a	re reorganized		
	(B)	Cyclobutyl dimers are	removed		
•	(C)	The parent and dau	ghter strands of	f newly replicat	ted DNA are
	(Ο)	distinguished			
		N			
	(D)	The correct reading fr	ame is identified		
Life	SciI		23		[P.T.O.]
	•				
					•

92.	experiments ?	an be identified by which one of the following
٠	(A) Mobility shift assay	(B) DNA footprinting
	(C) Western blotting	(D) Southern blotting
93.		pair of terminal repeats and a transposase to promote their own transposition. These
	(A) Autonomous transposons	
	(B) Non-autonomous transposon	s
-	(C) LTR transposons	
	(D) Retrotransposons	
94.	Which of the following histones	can exist as tetramers in solution?
·	(A) H ₃ -H ₄	(B) H ₂ A-H ₂ B
	(C) H ₃ -H ₂ A	(D) $H_3-H_4-H_2A-H_2B$
95.	Which one of the following en oligonucleotide?	zymes is used for 5' - end labeling of
	(A) Klenow fragment	
	(B) T ₄ -polynucleotide kinase	
	(C) T ₇ DNA ploymerase	
	(D) DNA polymerase II	
96.	A species has been introduced in a relife are ideal. The species prefers	egion where abiotic conditions for supporting to go for:
	(A) r-selection	(B) k-selection
	(C) s-selection	(D) J-selection.
Life S	SciII	24

	÷							,
	97.		type of statistical sampl		wed in an i	ırban area	where	there
			formous income parity	•	0	1.		
		•	Random sampling	(B)	Stratified		•	-
		(C)	Simple sampling	(D)	Biased sa	mpling		;
	98.		ch of the following meth ession of an organism	:	most appro	priate to o	luantify	gene
		(A)	Reverse Transcriptase	PCR				,
		(B)	Microarray technique				1	
,		(C)	2-D protein gel analys	is		· · · · · · · · · · · · · · · · · · ·		
		(D)	Real time PCR	- 			T	,
	99.	Bact	erial systematics deals	with:				
		(A)	identification of the or	ganisms only				
		(B)	classification of the or	ganisms only				
		(C)	nomenclature of the o	rganisms only				·
		(D)	study of diversity and	d their relati	onship cor	nprising c	lassific	ation,
			nomenclature and ider	tification				
	100.	Whic	ch one of the following	is true during	g Hfr × F	cross?		
	·	(A)	frequency of recombina	ation high and	l transfer	of F factor	· low	
	•	(B)	frequency of recombina	ation high and	d transfer	of F factor	r high	
		(C)	frequency of recombina	ation low and	transfer o	f F factor	high	
		(D)	frequency of recombina	ation low and	transfer o	f F factor	low	
	Life S	SciII		25	,		[P	.T.O.]
		•						
					+			

ROUGH WORK

SEAL